

















# DigiLinX Integration Partner Quick Reference Guide

IP Amplifiers	
	NNP01, NNP02, NNP02-DC
IP Speakers	
	I LC265i-IP (in-wall), LC80i-IP (in-ceiling) Require SN1000 StreamNet card IP-Ready -SC80ipr (in ceiling)* and SC85ipr (in-wall)*.
	IWTS-4 LCR-IP, IWTS-7 LCR-IP, IWTS-14 LCR-IP, ICTS – 6.1 - IP IP-Ready speakers require SL250 or SL254 for IP operation. Can be used as conventional passive speaker with other NetStreams models
Music Servers	
	All Audio ReQuest Models
	Fireball: SE-80, E-40, E-120, E2-40, E2-100, E2-200, E2-160, E2-300, DVDM-300, DVDM-552, MX752, MX531, MX311, MX111, AVX-552, AVX-331, AVX-211, Vision
	SoundServer MKII S2000, S3000 – MS5000 and MS1 (audio only)
	NS01, NS02, NS03
	
AM/FM & Satellite Tuners (via MediaLinX)	
	ZTuner (AM/FM Tuner) v1.0 & v.20
	Xrt12 XM Tuner
	SCH1 (requires SIRS232 cable or the SCH1P2 kit that include the RS232 cable), SCHDOC1P Home Dock
	ST7001 AM/FM/XM Tuner (requires MLA101, not compatible with MLA400)
	NNT01, NNT02
	T-4555 AM/FM/DAB

Continued

*The Ultimate IP A/V Experience*

main.512.977.9393 / fax.512.977.9398 / 3600 W. Parmer Lane, Suite 100, Austin, TX 78727 / [www.netstreams.com](http://www.netstreams.com)



# DigiLinX Integration Partner Quick Reference Guide

## iPod Docking Stations (via MediaLinX)



To Show Meta-data: IW-4, IW-5, FS-4, FS-5, FS-22, IW-22  
Audio Only: IW-1, IW-2, IW-3, FS-1, FS-2, FS-3



IS201 iPod Dock

## Home Cinema Controllers (for use via RS-232 with TheaterLinX, and any others via IR)



SR7001



AVR-3808CI



SoloMovie, AVR350



All current AV Receivers with RS232 support

## IP Cameras



BB-HCM331A, BB-HCM381A, BB-HCM371A, BB-HCM311A, KX-HCM250, KX-HCM280, KX-HCM110A, BL-C10, BL-C30A, KX-HCM311A, BB-HCA10A, BB-HCS301A, BB-HCM547A, BB-HCM531A, BB\_HCM403A, BB-HCM511A, BB-HCM515A, BB-HCM581A, BB-HCM581A-W

## CD Players



CC4001 CD Changer

## HVAC Systems (via ControLinX)



8811 Protocol adapter required



Sensible Heat



Use the B+B EIB Medienteknik gateway



Continued

*The Ultimate IP A/V Experience*

main.512.977.9393 / fax.512.977.9398 / 3600 W. Parmer Lane, Suite 100, Austin, TX 78727 / www.netstreams.com



# DigiLinX Integration Partner Quick Reference Guide

## Lighting Systems (via ControlinX)



Graphic Eye™, RadioRa™ RadioRa 2, HomeWorks™



InFusion



via DNG232 RS232 interface



via RS232 interface (needs RS485-RS232 converter)



HAI Controller with RS232 interface



via RS232 Interface adapter with power supply



via RS232 interface (PC Node)



Use the B+B EIB Medienteknik Gateway



RadioR



Via RS232 Audio Gateway Driver



Via Evolution Power & Processor Unit and EVO –INT-232 interface



Via Rako RAV232+bidirectional RS232 controller

## Other Music Storage Devices: (via Streaming Music Manager or future UPnP service)

PCs or Macs

Windows Media Center

Network Attached Storage

USB Mass Storage Devices

Portable MP3 players (via USB)

Cellular Phones (via USB)



# DigiLinX Integration Partner Quick Reference Guide

## Security Systems (via ControlinX)



8811 Protocol adapter required



Cardio Ile Controller



Requires DSC IT-100 integration module

## Cable and Wiring



Belden® HomeChoice® 7876A for *NetStreams* IP-Based Video  
Belden HomeChoice 7949A for *NetStreams* IP-Based Audio.

## Remote Controls



RTI IR Remote Controls — Model T1, T1+, T2-C, T3 and M2  
Universal Controllers

RTI LCD Touch screen Controllers: Model T4 and K4.



TSU9600, TSU9800



Apple iPod Touch, iPhone, iPad, via iLinX app

## Displays



Sharp Plasma – PN – 455RU  
Sharp LCD – LC-26DA5U, LC-32DA5U

## Pool/Spa Control



Via AquaLink RS Serial Adapter

## Misc



Use NetStreams application



Use *NetStreams* Application

*The Ultimate IP A/V Experience*

main.512.977.9393 / fax.512.977.9398 / 3600 W. Parmer Lane, Suite 100, Austin, TX 78727 / [www.netstreams.com](http://www.netstreams.com)